


RBH Artwork and Print Specification

Trident Reference No:	TR327562
Action / Version:	A
Brand:	Strepsils
Brand Platform:	Throatcare
Sub Platform:	First Aid Medicine
Sub Brand:	Core Throat
Format:	Lozenge
Delivery:	Honey & Lemon
Pack Size:	Leaflet
Country:	Israel
Date Created:	10/11/09
Date Modified:	11/11/09

RBH Contact:	Fajar Martha
Component Code (2D if applicable):	0251214
Parent Technical Packaging Specification:	D0160125
Bulk Code (if applicable):	N/A
xxxx	
CAD Cam Ref:	S-Lft-ReelFed-L-209.55x148mm
Printer:	Chesapeake Tewkesbury
Substrate:	Paper - White
Edgemark Position:	N/A
Pharmacode No/NE:	1101000110(1861)



Print and Technical Colours	
Process Black	1 LTH



COLOURS TO MATCH RECOGNISED STANDARDS	
Cutter - Does not print	Guides- Does not print

BARCODE INFO

This info is not automated

Barcode Type:	Not Known
Barcode Number:	N/A
Magnification:	N/A
Truncated by (smallest Bar):	N/A
Encoded Data:	N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY	David Sutton	v1.0
Sm•Art check results:	G=0; O=0; R=0; -DS - 11/11/09 08:59:41	

ARTWORK APPROVAL

Approved by Sonoco Trident on behalf of Reckitt Benckiser
 Signed: _____
 Date: _____

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.
 Tel. Alan Smith: +44 (0)1482 710304
NOT APPROVED FOR COLOUR

Top Back

Стрелпсилс® ТАБЛЕТКИ ДЛЯ РАСАСЫВАНИЯ

Стрелпсилс® С МЕДОМ И ЛИМОНОМ
Таблетки для рассасывания

Состав
 Каждая таблетка для рассасывания содержит:
 Levomenthol 8.0 mg
 2,4-Dichlorobenzyl alcohol 1.2 mg
 Amylmetacresol 0.6 mg
 Вспомогательные вещества: Eucalyptus oil, Indigo carmine (E132), Liquid sugar for confectionery and liquid glucose, peppermint oil, quinine yellow (E104), tartaric acid, terpineolless lemon oil.

Стрелпсилс® с ментолом и эвкалиптом Таблетки для рассасывания

Состав
 Каждая таблетка для рассасывания содержит:
 Levomenthol 8.0 mg
 2,4-Dichlorobenzyl alcohol 1.2 mg
 Amylmetacresol 0.6 mg
 Вспомогательные вещества: Eucalyptus oil, Indigo carmine (E132), Liquid sugar for confectionery and liquid glucose, tartaric acid.

Терапевтическое действие

Антигемический препарат для облегчения боли в горле у детей и взрослых.

Противопоказания к применению

Противопоказано применение препарата при повышенной чувствительности к одному из компонентов препарата.

Взаимодействие препаратов

Взаимодействие с другими препаратами не изучено. При одновременном приеме других препаратов сообщите об этом лечащему врачу в целях предотвращения опасности или неэффективности лечения, связанных с взаимодействием препаратов.

Побочные эффекты

Во время курса лечения, наряду с желаемым действием препарата, могут возникнуть побочные эффекты.
Побочные эффекты, требующие особого внимания:
 Сильное местное раздражение или воспаление отоларингеальных доз приема препарата (редко).
 В редких случаях может возникнуть аллергия. В этом случае необходимо прекратить прием препарата и обратиться к врачу.
Побочные реакции и взаимодействия препаратов
 У детей: Подлеги должны сообщать лечащему врачу о каждом побочном эффекте и о любом другом препарате, принимаемом ребенком.
 См. особые побочные эффекты, описанные выше.
Рекомендуемая доза при отсутствии других указаний врача
 Взрослые и дети: рассасывать по одной таблетке каждые 2-3 часа. Не превышать рекомендуемую дозу. Этот препарат обычно не рекомендуется для детей и младенцев младше 6 лет.
 Если в течение нескольких дней не произошло улучшения в самочувствии – обратитесь к лечащему врачу или продолжите прием в горле или боль в горле, сопровождаемая жаром, головной болью, тошнотой или рвотой. Требуется немедленного обращения к врачу.

Указания к применению

Препарат должен раставать во рту. Не разжевывать и не разламывать таблетку. Таблетку нужно рассасывать медленно.

Указания к применению

Препарат должен раставать во рту. Не разжевывать и не разламывать таблетку. Таблетку нужно рассасывать медленно.

Использование отвара

Этот препарат, как и любой другой, надлежит хранить в закрытом, недоступном для детей или младенцев месте, во избежание отравления. Если вы применили лекарство для лечения ребенка, в том числе для ребенка, запертого в комнате, убедитесь, что ребенок знает, как открыть дверь. Запертого ребенка необходимо немедленно доставить в больницу, запертого ребенка необходимо немедленно доставить в больницу. Не давайте воду без получения помощи указанного врача. Не давайте воду без получения помощи указанного врача. Не давайте воду без получения помощи указанного врача. Не давайте воду без получения помощи указанного врача.

Рекомендуемый номер препарата

Средняя цена в розничной аптеке: 5302420500
 Reckitt Benckiser, Reckitt Benckiser, 5302420500
 Strepsils Menthol and Eucalyptus, 5302420500
 Strepsils Honey and Lemon, 5302420500
 Reckitt Benckiser, Reckitt Benckiser, 5302420500
 Strepsils Menthol and Eucalyptus, 5302420500
 Strepsils Honey and Lemon, 5302420500

Владельцы лицензий

Reckitt Benckiser, Reckitt Benckiser, 5302420500
 Strepsils Menthol and Eucalyptus, 5302420500
 Strepsils Honey and Lemon, 5302420500

מסלילס טבלטות לרססות

מסלילס טבלטות לרססות עם מנטול ומימון
מסלילס טבלטות לרססות

מסלילס טבלטות לרססות
 Levomenthol 8.0 mg
 2,4-Dichlorobenzyl alcohol 1.2 mg
 Amylmetacresol 0.6 mg
 חומרים מסייעים: שמן עיטור, ציטרונין צהוב, חומרים מסייעים: שמן עיטור, ציטרונין צהוב, חומרים מסייעים: שמן עיטור, ציטרונין צהוב.

מסלילס טבלטות לרססות

מסלילס טבלטות לרססות
 Levomenthol 8.0 mg
 2,4-Dichlorobenzyl alcohol 1.2 mg
 Amylmetacresol 0.6 mg
 חומרים מסייעים: שמן עיטור, ציטרונין צהוב, חומרים מסייעים: שמן עיטור, ציטרונין צהוב.

Strepsils® Lozenges

Strepsils® with Honey and Lemon
Strepsils® Lozenges

Strepsils® with Menthol and Eucalyptus
Strepsils® Lozenges

11/08

0251214

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500

5302420500


5302420500

Pharmacode Reads This Way



72.5mm from first bar to bottom of leaflet

TDD1022/8



Effects that require special attention:

Rash, irritation or local reaction (that did not exist before the use of this medicine) (rare), stop treatment and refer to the doctor.
 In the event that you experience side effects not mentioned in this leaflet, or if there is a change in your general health, consult the doctor.
Adverse Reactions and Drug Interactions in children
 Parents must inform the doctor about any side effects, as well as any additional medicine being taken by their child.
 See above for details of special side-effects.
RECOMMENDED DOSAGE UNLESS OTHERWISE PRESCRIBED BY THE DOCTOR:
Adults and Children: one lozenge to be sucked every 2-3 hours.
 Do not exceed the recommended dosage.
 This medicine is not usually intended for administration to children and infants under 6 years old.
 If there is no improvement in your condition within a few days, refer to the doctor.
 Severe or continuous sore throat or sore throat accompanied by fever, headache, nausea or vomiting requires immediate consultation with a doctor.
DIRECTIONS FOR USE
 The lozenge should be dissolved in the mouth. Do not chew or break the lozenge.
 Suck slowly the lozenge.
Avoid Poisoning!
 This medicine, and all other medicines, must be stored in a safe place out of the reach of children and/or infants, in order to avoid poisoning.
 If a child has accidentally swallowed the medicine, processed immediately to a hospital emergency room and bring the package of the medicine with you.
 Do not include vomiting unless explicitly instructed to do so by a doctor.
Do not take medicines in the dark! Check the label and the dose each time you take your medicine. Wear glasses if you need them.
STORAGE
 Store this medicine in a cool place.
 Even if kept in their original container and stored as recommended, medicines may be kept for a limited period only. Please note the expiry date of the medicine! In case of doubt, consult the pharmacist who dispensed the medicine to you.
 Do not use different medicines in the same package.
DRUGS REGISTRATION NUMBERS:
 Strepsils Menthol and Eucalyptus: 5302420500
 Strepsils Honey and Lemon: 5302420500
MANUFACTURER: Reckitt Benckiser Healthcare International Ltd, Nottingham, England.
LICENSE HOLDER: Reckitt Benckiser (Near East) Ltd, 6 Hanagar St., Hod Hasharon 45240.

Strepsils® Lozenges

Strepsils® with Honey and Lemon
Strepsils® Lozenges

Strepsils® with Menthol and Eucalyptus
Strepsils® Lozenges

Strepsils® Lozenges

Strepsils® with Honey and Lemon
Strepsils® Lozenges

Strepsils® with Menthol and Eucalyptus
Strepsils® Lozenges

83.6mm to centre of mark

Top Front